



# IELTS Mock Test 2022 May Reading Practice Test 1

## HOW TO USE

You have 2 ways to access the test

1. Open this URL <http://link.intergreat.com/bvQxX> on your computer
2. Use your mobile device to scan the QR code attached



## READING PASSAGE 1

You should spend about 20 minutes on Questions 1-13, which are based on Reading Passage 1 below.



# Depression

## DEPRESSION

**A.** It is often more difficult for outsiders and non-sufferers to understand mental rather than physical illness in others. While it may be easy for us to sympathise with individuals living with the burden of a physical illness or disability, there is often a stigma attached to being mentally ill, or a belief that such conditions only exist in individuals who lack the strength of character to cope with the real world. The pressures of modern life seem to have resulted in an increase in cases of emotional disharmony and government initiatives in many countries have, of late, focussed on increasing the general public's awareness and sympathy towards sufferers of mental illness and related conditions.

**B.** Clinical depression, or 'major depressive disorder', a state of extreme sadness or despair, is said to affect up to almost 20% of the population at some point in their lives prior to the age of 40. Studies have shown that this disorder is the leading cause of disability in North America; in the UK almost 3 million people are said to be diagnosed with some form of depression at any one time, and experts believe that as many as a further 9 million other cases may go undiagnosed. World Health Organisation projections indicate that clinical depression may become the second most significant cause of disability' on a global scale by 2020. However, such figures are not unanimously supported, as some experts believe that the diagnostic criteria used to identify the condition are not precise enough, leading to other types of depression being wrongly classified as 'clinical'.

**C.** Many of us may experience periods of low morale or mood and feelings of dejection, as a natural human response to negative events in our lives such as bereavement, redundancy or breakdown of a relationship. Some of us may even experience periods of depression and low levels of motivation which have no tangible reason or trigger. Clinical depression is classified as an on-going state of negativity, with no tangible cause, where sufferers enter a spiral of persistent negative thinking, often experiencing irritability, perpetual tiredness and listlessness. Sufferers of clinical depression are said to be at higher risk of resorting to drug abuse or even suicide attempts than the rest of the population.

**D.** Clinical depression is generally diagnosed when an individual is observed to exhibit an excessively depressed mood and/or 'anhedonia' – an inability to experience pleasure from positive experiences such as enjoying a meal or pleasurable social interaction – for a period of two weeks or more, in conjunction with five or more additional recognised symptoms. These additional symptoms may include overwhelming feelings of sadness; inability to sleep, or conversely, excessive sleeping; feelings of guilt, nervousness, abandonment or fear; inability to concentrate; interference with memory capabilities; fixation with death or extreme change in eating habits and associated weight gain or loss.

**E.** Clinical depression was originally solely attributed to chemical imbalance in the brain, and while anti-depressant drugs which work to optimise levels of 'feel good' chemicals – serotonin and norepinephrine – are still commonly prescribed today, experts now believe that onset of depression may be caused by a number, and often combination of, physiological and socio-psychological factors. Treatment approaches vary quite dramatically from place to place and are often tailored to an individual's particular situation; however, some variation of a combination of medication and psychotherapy is most commonly used. The more controversial electroconvulsive therapy (ECT) may also be used where initial approaches fail. In extreme cases, where an individual exhibits behaviour which indicates that they may cause physical harm to themselves, psychiatric hospitalisation may be necessary as a form of intensive therapy.

**F.** Some recent studies, such as those published by the Archives of General Psychiatry, hold that around a quarter of diagnosed clinical depression cases should actually be considered as significant but none-the-less ordinary sadness and maladjustment to coping with trials in life, indicating that in such cases, psychotherapy rather than treatment through medication is required. Recovery as a result of psychotherapy tends, in most cases, to be a slower process than improvements related to medication; however, improvements as a result of psychological treatment, once achieved, have been observed in some individuals to be more long term and sustainable than those attained through prescription drugs. Various counselling approaches exist, though all focus on enhancing the subject's ability to function on a personal and interpersonal level. Sessions involve encouragement of an individual to view themselves and their relationships in a more positive manner, with the intention of helping patients to replace negative thoughts with a more positive outlook.

**G.** It is apparent that susceptibility to depression can run in families. However, it remains unclear as to whether this is truly an inherited genetic trait or whether biological and environmental factors common to family members may be at the root of the problem. In some cases, sufferers of depression may need to unlearn certain behaviours and attitudes they have established in life and develop new coping strategies designed to help them deal with problems they may encounter, undoing patterns of destructive behaviour they may have observed in their role models and acquired for themselves.

## Questions 1-5

Reading Passage 1 has seven sections A-G.

Which paragraph contains the following information?

Write the correct letters A-G in boxes 1-5 on your answer sheet.

- 1  Details of treatment alternatives for worst case scenario depression.
- 2  Information regarding cases where drug treatment is inappropriate.
- 3  Details of how those diagnosed with depression may be more vulnerable than other members of society,
- 4  Information about society's attitudes to depression and similar illnesses.
- 5  Information regarding why estimates of incidence of future growth in cases may be overly exaggerated.

## Questions 6-8

Choose **THREE** letters A-G.

Write your answers in boxes 6-8 on your answer sheet.

**NB** Your answers may be given in any order

Which **THREE** of the following statements are true of depression?

- A** Governments have generally failed to take action to educate the general public about the condition.
- B** The highest reported number of cases are in the USA.
- C** In Britain, it is likely that there are more individuals who live with the condition without the help of a doctor than those being officially treated.
- D** Clinical depression may be triggered by divorce.
- E** Lethargy may be one of the symptoms of depression.
- F** Prescribed pharmaceuticals have radically changed over recent years.
- G** Approaches to treating depression are not universal.

## Questions 9-13

Complete the summary of paragraphs F and G with the list of words A-L below.

Write the correct letter A-L in boxes 9-13 on your answer sheet.

Whilst recovery through counselling rather than medicine may be more

9 , results once achieved may have more 10  with some patients.

Counselling sessions are geared towards improving the subject's relationship with

others and their own 11 , encouraging sufferers of depression to take on a more 12  outlook.

The extent to which genetic disposition and sociological factors impact on state of

mind is 13 . Many people undergoing counselling therapy do so with the purpose of unlearning negative behaviour and reactions.

|   |              |
|---|--------------|
| A | gratifying   |
| B | longevity    |
| C | ambition     |
| D | optimistic   |
| E | pessimistic  |
| F | difficulty   |
| G | inconclusive |
| H | self-image   |
| I | gradual      |
| J | unequivocal  |
| K | immediate    |
| L | categorical  |

## READING PASSAGE 2

You should spend about 20 minutes on Questions 14-27, which are based on Reading Passage 2 below.



### THE FACE OF MODERN MAN?

**A.** In response to the emergence of the ‘metro-sexual’ male, in other words, an urban, sophisticated man who is fashionable, well-groomed and unashamedly committed to ensuring his appearance is the best it can be, a whole new industry has developed. According to research conducted on behalf of a leading health and beauty retailer in the UK, the market for male cosmetics and related products has grown by 800% since the year 2000 and is expected to continue to increase significantly. The male grooming products market has become the fastest growing sector within the beauty and cosmetics industry, currently equivalent to around 1.5 billion pounds per annum.

**B.** Over the last decade, a large number of brands and companies catering for enhancement of the male image have been successfully established, such operations ranging from male-only spas, boutiques, personal hygiene products, hair and skin care ranges, and male magazines with a strong leaning towards men’s fashion. Jamie Cawley, proprietor of a successful chain of London-based male grooming boutiques, holds that his company’s success in this highly competitive market can be attributed to the ‘exclusivity’ tactics they have employed, in that their products and services are clearly defined as male-orientated and distinctly separate to feminine products offered by other organisations. However, market analyst, Kim Sawyer, believes that future growth in the market can also be achieved through sale of unisex products marketed to both genders, this strategy becoming increasingly easy to implement as men’s interest in appearance and grooming has become more of a social norm.

**C.** Traditionalists such as journalist Jim Howard contend that the turn-around in male attitudes which has led to the success of the industry would have been inconceivable a decade ago, given the conventional male role, psyche and obligation to exude masculinity; however, behavioural scientist Professor Ruth Chesterton argues that the metro-sexual

man of today is in fact a modern incarnation of the 'dandy' of the late eighteenth and early nineteenth century. British dandies of that period, who were often of middle class backgrounds but imitated aristocratic lifestyles, were devoted to cultivation of their physical appearance, development of a refined demeanour and hedonistic pursuits. In France, she adds, dandyism, in contrast, was also strongly linked to political ideology and embraced by youths wishing to clearly define themselves from members of the working class revolutionary social groups of the period.

**D.** Over recent decades, according to sociologist Ben Cameron, gender roles for both sexes have become less defined. According to research, he says, achievement of status and success have become less important in younger generations of men, as has the need to repress emotions. Cameron defines the traditional masculine role within western societies – hegemonic masculinity – as an expectation that males demonstrate physical strength and fitness, be decisive, self-assured, rational, successful and in control. Meeting this list of criteria and avoiding situations of demonstrating weakness, being overly emotional or in any way 'inferior', he says, has placed a great deal of pressure on many members of the male population. So restrictive can society's pressure to behave in a 'masculine' fashion on males be, Professor Chesterton states that in many situations men may respond in a way they deem acceptable to society, given their perceived gender role, rather than giving what they may actually consider to be the best and most objective response.

**E.** Jim Howard says that learning and acquiring gender identity makes up a huge component of a child's socialisation and that a child who exhibits non-standard behavioural characteristics often encounters social and self image difficulties due to the adverse reactions of their peers. According to Kim Sawyer, media images and messages also add to pressures associated with the male image, stating that even in these modern and changing times, hegemonic masculinity is often idolised and portrayed as the definitive male persona.

**F.** Whilst male stereotypes and ideals vary from culture to culture, according to Professor Chesterton, a universal trait in stereotypical male behaviour is an increased likelihood to take risks than is generally found in female behaviour patterns. For this reason, she attributes such behaviour to the influence of genetic predisposition as opposed to socially learned behaviour. Men, she says, are three times more likely to die due to accident than females, a strong indication he says of their greater willingness to involve themselves in precarious situations. Ben Cameron also says that an attitude of invincibility is more dominant in males and is a predominant factor in the trend for fewer medical checkups in males and late diagnosis of chronic and terminal illness than in their more cautious and vigilant female counterparts.

**G.** Jamie Cawley, however, remains optimistic that the metro-sexual culture will continue

and that what society accepts as the face of masculinity will continue to change. He attributes this to a male revolt against the strict confines of gender roles, adding that such changes of attitudes have led and will continue to lead to establishment of greater equality between the sexes.

## Questions 14-18

Reading Passage 2 has seven paragraphs A-G.

Choose the correct heading for paragraphs B-D and F-G from the list of headings below.

Write the correct number *i to viii* in boxes 14-18 on your answer sheet.

| List of Headings |                                       |
|------------------|---------------------------------------|
| <b>i</b>         | Basis and predictions                 |
| <b>ii</b>        | Revolution or recurrence?             |
| <b>iii</b>       | Servicing a growing demand            |
| <b>iv</b>        | The surfacing of a new phenomenon     |
| <b>v</b>         | A long-held mindset and its downsides |
| <b>vi</b>        | Influence on minors                   |
| <b>vii</b>       | Hereditary predilection               |
| <b>viii</b>      | Effects of external pressures         |

**Example:** Paragraph E; **Answer:** viii

14  Paragraph B

15  Paragraph C

16  Paragraph D

17  Paragraph F

18  Paragraph G

## Questions 19-22

Do the following statements agree with the information given in Reading Passage 2?

In boxes 19-22 on your answer sheet, write

[Access https://ieltsontests.com](https://ieltsontests.com) for more practices

|                  |  |
|------------------|--|
| <b>TRUE</b>      | if the statement agrees with the information |
| <b>FALSE</b>     | if the statement contradicts the information |
| <b>NOT GIVEN</b> | If there is no information on this           |

19  Sales in the female health and beauty market have slightly declined over recent years.

20  The rise of 'dandyism' in England and France is attributed to similar factors.

21  Emotional reaction is contradictory to hegemonic masculine behaviour.

22  There is a correlation between men's belief that they are indestructible and their decreased likelihood to seek medical advice.

## Questions 23-27

Look at the following list of statements (Questions 23-27) based on changes in male image and behavior.

Match each statement with the correct person A-E.

Write the correct letters A-E in boxes 23-27 on your answer sheet.

23  Male behaviour patterns have changed in a way that would have been considered implausible in the past.

24  Traditional benchmarks of masculinity are often exacerbated by the press.

25  Metro-sexual culture has developed as a response to modern men's dissatisfaction with traditional images.

26  The need to conform to society's expectations of male behaviour may impede men's decision-making and judgement.

27  There is potential in a market which makes no differentiation between products for males and females.

| List of Contributors |                           |
|----------------------|---------------------------|
| A                    | Jamie Cawley              |
| B                    | Kim Sawyer                |
| C                    | Jim Howard                |
| D                    | Professor Ruth Chesterton |
| E                    | Ben Cameron               |

# READING PASSAGE 3

You should spend about 20 minutes on Questions 28-40, which are based on Reading Passage 3 below.



## CLINICAL TRIALS

**A.** The benefits of vitamins to our well-being are now familiar to most; however, when the link between diets lacking in citrus fruits and the development of the affliction 'scurvy' in sailors was first discovered by James Lind in 1747, the concept of vitamins was yet to be discovered. Scurvy, which causes softening of the gums, oral bleeding and, in extreme cases, tooth loss, is now known to present as a result of lack of Vitamin C in the diet. Additional symptoms include depression, liver spots on the skin – particularly arms and legs – loss of colour in the face and partial immobility; high incidence of the ailment aboard ships took an enormous toll on the crew's ability to complete essential tasks while at sea.

**B.** Suggestions that citrus fruit may lower the incidence or indeed prevent scurvy had been made as early as 1600. It was Lind, however, who would conduct the first clinical trial by studying the effect within scientific experimental parameters. However, while the correlation between consuming citrus fruit and avoidance of scurvy was established, the preventative properties were attributed to the presence of acids in the fruit and not what would later be identified as vitamin content.

**C.** Lind's subjects for his trial consisted of twelve sailors already exhibiting symptoms of scurvy. These individuals were split into six groups; each pair common diet. Pair 1 were rationed a daily quart of cider, pair 2 elixir of vitriol, pair 3 a given quantity of vinegar, pair 4 seawater, pair 5 oranges and a lemon and pair 6 barley water. Despite the trial having to be aborted after day five, when supplies of fruit were depleted, the findings of the interventional study showed that only the control group who were given fruit supplements showed any significant improvement in their condition (one had, in fact, recovered to the extent that he was fit enough to return to work). The immediate impact on sailors' health and incidence of scurvy on board ship was, however, limited as Lind and other physicians remained convinced that the curative effect was acid based. Therefore,

while consumption of citrus fruit was recommended, it was often replaced by cheaper acid supplements. The preventative Qualities of citrus fruit against scurvy were not truly recognised until 1800, though throughout the latter part of the 1700s, lemon juice was increasingly administered as a cure for sailors already afflicted.

**D.** Nowadays, the implementation of findings discovered in clinical trials into mainstream medicine remains an arduous and lengthy process and the clinical trials themselves represent only a small stage of the process of developing a new drug from research stage to launch in the marketplace. On average, for every thousand drugs conceived, only one of the thousand actually makes it to the stage of clinical trial, other projects being abandoned for a variety of reasons. Stages which need to be fulfilled prior to clinical trial – where the treatment is actually tested on human subjects -include discovery, purification, characterisation and laboratory testing.

**E.** A new pharmaceutical for treatment of a disease such as cancer typically takes a period of 6 years or more before reaching the stage of clinical trial. Since legislation requires subjects participating in such trials to be monitored for a considerable period of time so that side-effects and benefits can be assessed correctly, a further eight years typically passes between the stage of a drug entering clinical trial and being approved for general use. One of the greatest barriers to clinical trial procedures is availability of subjects willing to participate. Criteria for selection is rigorous and trials where subjects are required to be suffering from the disease in question, experience tremendous recruitment difficulties as individuals already vulnerable due to the effects of their condition, are often reluctant to potentially put their health at higher levels of risk.

**F.** Clinical trials are conducted in line with a strict protocol and the stages of a trial are generally defined by five distinct phases. A drug that is deemed safe and effective enough to reach the end of stage three is most often, at that point, approved for use in mainstream medicine. Phase 0 involves a first-in-human trial (usually conducted using a small population often to fifteen subjects) with the purpose of ascertaining that the drug's effect is, in fact, the same as predicted in pre-clinical studies. If no concerns are raised, the drug then enters Phase 1 of trial where a modest selection (usually between twenty and eighty subjects) of usually healthy volunteers, is exposed to the drug. However, for HIV and cancer drugs, this stage is conducted using patients suffering from the condition in question. There are two main variations of Phase I testing, these being SAD (single ascending dose) and MAD (multiple ascending dose). The former involves a single administration of a drug at a pre-determined level to one group of subjects, and the second involves administration of a pre-determined sequence of dosages.

**G.** Phases 0 and 1 are geared towards establishing the safety of a pharmaceutical and once this has been confirmed, drugs pass into Phase II testing where, while safety continues to be monitored, the drug's effectiveness is also assessed using a larger group

of subjects, ranging from twenty up to three hundred. In some trials, Phase II is regarded as involving two sub-stages, in that Phase II(a) may be concerned with establishing optimum dosage levels and Phase II(b) to evaluate effectiveness. Phase III is the most expensive, time-consuming and complex stage of the trial process, often involving as many as 3000 patients. At this stage, a new drug's effectiveness is rigorously tested and compared to that of the best of the existing alternatives already approved and in common use. Where research indicates that a pharmaceutical has passed all requirements of Phases I, II and III, submissions to relevant regulatory and licensing bodies are then made.

H. The final phase of clinical testing, Phase IV, is conducted over a lengthy period of time post-launch for general usage. This stage is, in essence, a safety net which involves continued monitoring of the drug, its properties and side-effects through which any long term adverse reactions, which remained undetected in the pre-launch clinical testing time frame can be discovered. Identification of harmful effects at this stage, on occasion, has led to withdrawal of a drug from the market; for example, as was the case with cerivastatin, a cholesterol-lowering drug, which was later found to have an adverse effect on muscle reaction which, on occasion, had fatal consequences.

## Questions 28-31

Complete the sentences below.

Choose **NO MORE THAN TWO WORDS** from the passage for each answer.

Write your answers in boxes 28-31 on your answer sheet.

In advanced cases of scurvy sufferers may experience 28 \_\_\_\_\_ along with numerous other symptoms.

Fruit adds were mistakenly heralded as having 29 \_\_\_\_\_ in incidents of scurvy prior to the identification of vitamins.

Lind's subjects for the first clinical trial were seamen who were at the time of 30 \_\_\_\_\_ the condition in question.

All groups in Lind's experiment were given a 31 \_\_\_\_\_ along with specific rations which were varied for each control group.

## Questions 32-35

Choose the correct letter A, B, C or D

Write your answers in boxes 32 – 35 on your answer sheet

32 The first clinical trial was conducted for only 5 days because

- A that period of time was the planned protocol.
- B the subjects in the relevant control group had already recovered.
- C resources fundamental to the experiment were used up.
- D those taking part in the trial were too sick to continue.

33 The impact of findings from the trial were not used to full potential because

- A Lind failed to recommend consumption of citrus fruit.
- B ineffective substitutes were often made available.
- C other physicians were unconvinced by his evidence.
- D the trial was not conducted over a long enough period to be valid.

34 One of the greatest hindrances to clinical testing today is

- A low volunteer rates.
- B the poor success rate.
- C the strict protocol.
- D shortage of laboratory staff.

35 Clinical testing for HIV and cancer drugs differs from usual procedures because

- A the clinical trial phase is much longer.
- B the MAD instead of the SAD approach is used during Phase I.
- C subjects exhibiting no symptoms of the illness are not used.
- D effectiveness is more rigorously tested than safety.

## Questions 36-40

Complete the flowchart

Choose **ONE WORD ONLY** from the passage for each answer.

Write your answers in boxes **36-40** on your answer sheet.

## Phases of Clinical Testing

**Phase 0**

10-15 subjects tested to confirm assumptions made in the 36 \_\_\_\_\_ stages were accurate.

**Phase I**

2 different approaches may be used. One involving one-off exposure to the drug the other involving a 37 \_\_\_\_\_

**Phase II**

May involve two sub-stages to establish 38 \_\_\_\_\_ quantities and usefulness.

**Phase III**

The most 39 \_\_\_\_\_, protracted and costly of all stages. Submissions made post-testing at this stage of all is agreeable.

**Phase IV**

Precautionary monitoring continues post-launch. Any serious issues uncovered can, on occasion, result in 40 \_\_\_\_\_



## Solution:

- 14 iii
- 15 ii
- 16 v
- 17 vii
- 18 i
- 19 NOT GIVEN
- 20 FALSE
- 21 TRUE
- 22 TRUE
- 23 C
- 24 B
- 25 A
- 26 D
- 27 B
- 28 tooth loss
- 29 preventative properties
- 30 exhibiting symptoms
- 31 common diet
- 32 C

33 B

34 A

35 C

36 Pre-clinical

37 Sequence

38 Optimum

39 Complex

40 withdrawal

1 E

2 F

3 C

4 A

5 B

6-8 C,E,G

9 I

10 B

11 H

12 D

13 G

## Review and Explanations

14 Answer: **iii**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| 14. Paragraph B   | Over the last decade, a large number of <b>brands and companies</b> catering for enhancement of the male image have been successfully established, |
| <p>+ Take a look at the first sentence in paragraph B, it is referred that many <b>brands and companies</b> provide things related to men to enhance their image.</p> <p>+ It is clear that the word 'catering' in paragraph B is equivalent to 'servicing' in option iii.</p> <p>+ Therefore, the correct answer for Q14 should be <b>iii</b>.</p> |  |

15 Answer: **ii**

| Keywords in Questions  | Similar words in Passage  |
|--|---|
| 15. Paragraph C  | the <b>turn-around</b> in male attitudes which has led to <b>the success of the industry</b> would have been inconceivable a decade ago , |
| <p>+ Have a look at paragraph C, the keywords 'turn-around' is equal to 'revolution' in option ii.</p> <p>+ Also, the passage is about the <b>change in male attitudes</b> and the <b>imitation of some dandies</b> contributing to 'the success of the industry' for male products.</p> <p>+ Therefore, the answer for Q15 should be <b>ii</b>.</p> |   |

16 Answer: **v**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| 16. Paragraph D  | Over recent decades, according to <b>sociologist</b> Ben Cameron, <b>gender roles for both sexes have become less defined</b> . According to research, he says, According to research, he says, achievement of status and success have become less important in younger generations of men, as has the need to repress emotions.<br>Meeting this list of criteria and avoiding situations of <b>demonstrating weakness</b> , being overly emotional or in any way 'inferior', he says, has placed a great deal of pressure on many members of the male population. |
| <p>+ Paragraph D begins with <b>the opinion of a sociologist</b> names Ben Cameron that 'gender roles for both sexes have become less defined'.</p> <p>+ Additionally, this paragraph also mentions 'weakness' which puts pressure on 'many members of the male population'.</p> <p>+ Since sociologist's opinion is <b>a long-held mindset</b> which leads to some <b>downsides</b>, the correct answer for Q16 should be <b>v</b>.</p> |  |

17 Answer: **vii**

| Keywords in Questions | Similar words in Passage |
|-----------------------|--------------------------|
|-----------------------|--------------------------|

|   |  |
|---|--|
| 17. Paragraph F   | a <b>universal trait</b> in stereotypical male behaviour is an <b>increased likelihood to take risks</b> than is generally found in female behaviour patterns. |
| + Take a look at paragraph F, we can see that the keywords here are <b>universal trait</b> which is equal to <b>hereditary</b> in option vii. |  |
| + Understanding the idea in the paragraph, the answer for Q17 should be <b>vii</b> .  |  |

18 Answer: **i**

| Keywords in Questions   | Similar words in Passage  |
|---|---|
| 18. Paragraph G   | <b>what society accepts as</b> the face of masculinity will continue to change . He attributes this to a male revolt against the strict confines of gender roles, adding that such changes of attitudes <b>have led and will continue to lead to establishment</b> of greater equality between the sexes. |
| + Look at paragraph G, it contains some keywords such as <b>what society accepts as ...</b> (which seems the <b>basis</b> ) and <b>have led and continue to lead to ...</b> (that tends to be <b>predictions</b> ). |   |
| + Therefore, the correct answer for Q18 should be <b>i</b> .  |   |

19 Answer: **NOT GIVEN**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| <b>19</b> . Sales in the <b>female health and beauty market</b> have slightly declined over recent years.                                    | According to research conducted on behalf of a leading <b>health and beauty retailer</b> in the UK, the market for <b>male cosmetics and related products</b> has grown by 800% since the year 2000 and is expected to continue to increase significantly. |
| + We can see that in the passage, just paragraph A mentions <b>the increase in male cosmetics and related products</b> , <b>not female</b> . |  |
| + Therefore, the answer here should be <b>NOT GIVEN</b> .  |  |

20 Answer: **FALSE**

| Keywords in Questions  | Similar words in Passage  |
|--|---|
| <b>20</b> . The <b>rise of 'dandyism'</b> in <b>England and France</b> is attributed to similar factors. | <b>British dandies</b> of that period, who were often of middle class backgrounds but imitated aristocratic lifestyles, were devoted to cultivation of their physical appearance, development of a refined demeanour and hedonistic pursuits. In <b>France</b> , she adds, <b>dandyism</b> , <b>in contrast</b> , was also strongly linked to political ideology and embraced by youths wishing to clearly define themselves from members of the working class revolutionary social groups of the period. |

+ Take a look at the two last sentences of paragraph C, the keywords 'British dandies' and 'In France' have located the answer, but it shows **contrasting factor** leading to that increase of dandyism.  
 + Understanding the idea in the question, the answer here should be **FALSE**.

21 Answer: **TRUE**

| Keywords in Questions  | Similar words in Passage  |
|--|---|
| 21. <b>Emotional reaction</b> is <b>contradictory</b> to hegemonic <b>masculine behaviour</b> .  | Professor Chesterton states that in many situations men may <b>respond in a way they deem acceptable</b> to society, given their <b>perceived gender role</b> , <b>rather than</b> giving what they may actually consider to be the best and most objective response. |
| <p>+ Take a look at paragraph D, it contains the keywords such as <b>respond in a way they deem acceptable</b>' instead of reacting with <b>the best and most objective response</b>' which is equivalent to <b>contradictory to hegemonic masculine behavior</b>'<br/>           + Understanding the idea in the question, the answer here should be <b>TRUE</b>.</p> |   |

22 Answer: **TRUE**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| 22. There is a correlation between men's belief that they are <b>indestructible</b> and <b>their decreased likelihood to seek medical advice</b> .   | an attitude of <b>invincibility</b> is more dominant in males and is a predominant factor in the trend for <b>fewer medical checkups</b> in males and late diagnosis of chronic and terminal illness than in their more cautious and vigilant female counterparts. |
| <p>+ Take a look at the last sentence in paragraph F, <b>invincibility</b>' is equivalent to <b>'indestructible'</b>, while <b>fewer medical checkups</b> is also similar with <b>their decreased likelihood to seek medical advice</b>'.<br/>           + Therefore, the answer here should be <b>TRUE</b>.</p> |  |

23 Answer: **C**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| 23. <b>Male behaviour patterns</b> have <b>changed</b> in a way that would have been considered <b>implausible</b> in the past.   | Traditionalists such as journalist <b>Jim Howard</b> contend that the <b>turn-around in male attitudes</b> which has led to the success of the industry would have been <b>inconceivable</b> a decade ago. |
| <p>+ The question is about <b>the change in male attitudes</b> which is mentioned in paragraph C in passage.<br/>           + Also, it is <b>Jim Howard</b> who gave that statement. Therefore, the correct answer here should be <b>C</b>.</p> |  |

24 Answer: **B**

| Keywords in Questions | Similar words in Passage |
|-----------------------|--------------------------|
|-----------------------|--------------------------|

|   |   |
|---|---|
| <p>24. Traditional benchmarks of masculinity are often exacerbated by the press.</p>  | <p>According to Kim Sawyer, media images and messages also add to pressures associated with the male image, stating that even in these modern and changing times, hegemonic masculinity is often idolised and portrayed as the definitive male persona.</p> |
| <p>+ Take a look at the question, it is about the fact that <b>the press tends to worsen male image</b>.</p> <p>+ In paragraph E, it contains keywords such as <b>media image and messages/ pressures/ and male image</b> and the idea is <b>similar</b> to the given question.</p> <p>+ It can be referred that <b>Kim Sawyer</b> whose statement is mentioned in Q24. Therefore, the correct answer for Q24 should be <b>B</b>.</p> |   |

25 Answer: **A**

| Keywords in Questions  | Similar words in Passage  |
|--|---|
| <p>Q25. Metro-sexual culture has developed as a response to modern men's dissatisfaction with traditional images.</p>  | <p><b>Jamie Cawley</b>, however, remains optimistic that the <b>metro-sexual culture</b> will <b>continue</b></p> |
| <p>+ <b>'The metro-sexual culture'</b> is in paragraph G, which is mentioned by Jamie Cawley that <b>this</b> will continue in the future.</p> <p>+ Therefore the answer for Q25 should be <b>A</b>.</p> |   |

26 Answer: **D**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| <p>Q26. The need to conform to <b>society's expectations</b> of <b>male behaviour</b> may <b>impede</b> men's decision-making and judgement.</p>  | <p>So <b>restrictive</b> can <b>society's pressure</b> to behave in a 'masculine' fashion on males be, Professor Chesterton states that in many situations men may respond in a way they deem acceptable to society, given their perceived gender role, <b>rather than</b> giving what they may actually <b>consider to be the best and most objective response</b>.</p> |
| <p>+ The question is about the opinion that society's expectations towards male behavior may make it hard for them to make decisions and judgment.</p> <p>+ Only in paragraph D can we find <b>society's expectation</b> for male behavior and men tend to respond in an <b>'acceptable' way</b> rather than satisfying that expectation, which is stated by Professor Chesterton.</p> <p>+ Therefore, the correct answer for Q26 should be <b>D</b>.</p> |  |

27 Answer: **B**

| Keywords in Questions | Similar words in Passage |
|-----------------------|--------------------------|
|-----------------------|--------------------------|

|   |  |
|---|--|
| <p><b>27.</b> There is potential in a market which makes no differentiation between <b>products for males and females</b>.</p>  | <p>Kim Sawyer, believes that future growth in the market can also be achieved through sale of <b>unisex products</b> marketed to <b>both genders</b>, this strategy becoming increasingly easy to implement as men's interest in appearance and grooming has become more of a social norm.</p> |
| <p>+ Take a look at the question, it is about the possibility that there will be a <b>market</b> whose products will be provided to both men and women.</p> <p>+ Only in paragraph B can information about <b>'unisex products'</b> (same meaning with products for both genders) found.</p> <p>+ Therefore, the answer for this question should be <b>B</b>.</p> |  |

28 Answer: **tooth loss**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| <p><b>Note:</b><br/> <i>This passage doesn't include types of question which necessitate understanding the passage's meaning. Therefore, you can use scanning to find out the answer. (Scanning is a method used to find out prominent details such as number, year and name)</i></p>   |  |
| <p><b>Q28:</b> In <b>advanced cases</b> of scurvy suffers may experience _____ along with numerous other symptoms.</p>  | <p>Scurvy, which causes softening of the gums, oral bleeding and, in <b>extreme cases</b>, <b>tooth loss</b>, is now known to present as a result of lack of Vitamin C in the diet</p> |
| <p><b>Note:</b><br/>           "Scurvy" is type of illness so it is really hard to paraphrase, which we will easily find it in the passage. It is noticeable that this word and our information needed are in passage A.<br/>           The author uses "advanced cases" having the same meaning as "extreme cases" in the question. Hence, the answer we need, as a noun, is the following word. For this reason, the answer is <b>tooth loss</b>.</p> |  |

29 Answer: **preventative properties**

| Keywords in Questions  | Similar words in Passage  |
|--|---|
| <p><b>Q29:</b> <b>Fruit adds</b> <b>were mistakenly heralded</b> as having _____ in incidents of scurvy <b>prior to the identification of vitamins</b>.</p>  | <p>However, while the correlation between consuming citrus fruit and avoidance of scurvy was established, the <b>preventative properties</b> <b>were attributed to the presence of acids</b> in the fruit and not what would <b>later be identified as vitamin content</b>.</p> |
| <p><b>Note:</b><br/>           The phrase "A be attributed to B" means that B is considered to happen because of A, which is similar to the phrase "be mistaken heralded".<br/>           A noun is needed to fill in the blank, so the subject of the sentence in the text is the answer.<br/>           For that reason, the answer is <b>preventative properties</b>.</p> |   |

30 Answer: **exhibiting symptoms**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| <p><b>Q30:</b> Lind's subjects for the first clinical trial were <b>seamen</b> who were at the time of _____ <b>the condition in question.</b></p>  | <p>Lind's subjects for his trial consisted of twelve <b>sailors</b> already <b>exhibiting symptoms</b> of <b>scurvy.</b></p> |
| <p><b>Note:</b><br/>The name Lind helps you locate where information is.<br/>As for grammar, we have to fill a noun of gerund verb to the blank.<br/>Having considered those keywords, the answer is <b>exhibiting symptoms</b></p> |  |

31 Answer: **common diet**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| <p><b>Q31:</b> All groups in Lind's experiment were given a _____ along with specific rations which were varied for each control group.</p>  | <p>These individuals were split into six groups; each pair <b>common diet.</b> Pair 1 were rationed a daily quart of cider, pair 2 elixir of vitriol, pair 3 a given quantity of vinegar, pair 4 seawater, pair 5 oranges and a lemon and pair 6 barley water.</p> |
| <p><b>Note:</b><br/>The word needed follows by "a", so it should be a noun or compound noun<br/>The writer says that each pair was "given common diet", while the question say that "All group were given" something. These 2 phrases indicate the same meaning. Hence, a noun is determined but we need to consider if we are false,<br/>Further more, the writer lists lots of objects that they receive, which is the same as the phrase "specific rations" in the question.<br/>All the keywords fit, the answer must be <b>common diet.</b></p> |  |
| <p><b>Note:</b><br/><i>In order to do the mutiple choice question, you'd better eliminate wrong answers.</i></p>   |  |

32 Answer: **C**

| Keywords in Questions  | Similar words in Passage  |
|--|---|
| <p><b>Q32:</b> The first clinical trial was conducted for only 5 days because<br/>A. that period of time was the planned protocol.<br/>B. the subjects in the relevant control group had already recovered.<br/><b>C. resources fundamental to the experiment were used up.</b><br/>D. those taking part in the trial were too sick to continue.</p> | <p>Despite the trial having to be aborted after day five, when <b>supplies of fruit were depleted,</b> the findings of the interventional study showed that only the control group who were given fruit supplements showed any significant improvement in their condition. (one had, in fact, recovered to the extent that he was fit enough to return to work)</p> |

**Note:**

Number helps you locate the sentence holding the answer

- A. protocol is not mentioned in this paragraph
- B. The recovery is the result of the trial, but not the reasons for ending.
- C. Keywords in question is equivalent to ones in text. Thus, the correct answer is **C**.
- D. Do not talk about the participant or sickness

33 Answer: **B**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| <p><b>Q33:</b> The impact of findings from the trial were not used to full potential because</p> <p>A. Lind failed to recommend consumption of citrus fruit.</p> <p><b>B . ineffective substitutes were often made available.</b></p> <p>C. other physicians were unconvinced by his evidence.</p> <p>D. the trial was not conducted over a long enough period to be valid.</p>                      | <p>Lind and other physicians remained convinced that the curative effect was acid based. Therefore, while consumption of citrus fruit was recommended, it was often replaced by cheaper acid supplements. The preventative Qualities of citrus fruit against scurvy were not truly recognised until 1800, though throughout the latter part of the 1700s, lemon juice was increasingly administered as a cure for sailors already afflicted.</p> |
| <p><b>Note:</b></p> <p>A. The text says that consumption of citrus fruit was recommend, which completely contradicts to to this answer, so it is false</p> <p>B. Ineffective substitutes is cheaper acid supplements, it replaced the previous one, meaning being available. Hence, <b>B</b> is the correct answer.</p> <p>C. They remained convinced so it is false either.</p> <p>D. Not given</p> |  |

34 Answer: **A**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| <p><b>Q34:</b> One of the greatest hindrances to clinical testing today is</p> <p><b>A . low volunteer rates.</b></p> <p>B . the poor success rate.</p> <p>C . the strict protocol.</p> <p>D . shortage of laboratory staff.</p> | <p>One of the greatest barriers to clinical trial procedures is availability of subjects willing to participate.</p> |
| <p><b>Note:</b></p> <p>Options B, C, D are not given. Although they are all about shortage, but not relevant to <b>volunteers</b>. For this reason, the answer is <b>A</b></p>   |  |

35 Answer: **C**

| Keywords in Questions | Similar words in Passage |
|-----------------------|--------------------------|
|-----------------------|--------------------------|

|  |  |
|--|--|
| <p><b>Q35:</b><br/>Clinical testing for HIV and cancer drugs differs from usual procedures because</p> <p>A . the clinical trial phase is much longer.</p> <p>B . the MAD instead of the SAD approach is used during Phase I.</p> <p><b>C . subjects exhibiting no symptoms of the illness are not used.</b></p> <p>D . effectiveness is more rigorously tested than safety.</p> | <p>However, for HIV and cancer drugs, this stage is conducted using patients suffering from the condition in question. There are two main variations of Phase I testing, these being SAD (single ascending dose) and MAD (multiple ascending dose)</p> |
| <p><b>Note:</b></p> <p>A. Not given</p> <p>B. The passage just mentions 2 variations, but not its orders</p> <p>C. Just patients were used so the other do nothing, which agrees with C. Hence, the answer is <b>C</b></p> <p>D. Not given</p>   |  |

36 Answer: **Pre-clinical**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| <p><b>Note:</b><br/><i>The numbers and phase orders mentioned in this text will help you locate the answer. A tip for this completion question is you need to determine which kinds of word will be in the blank. It will help you easier to find out the answer.</i></p> |  |
| <p><b>Q36: Phase 0</b><br/>10-15 subjects tested to confirm assumptions made in the _____ stages were accurate.</p>   | <p>Phase 0 involves a first-in-human trial (usually conducted using a small population often to fifteen subjects) with the purpose of ascertaining that the drug's effect is, in fact, the same as predicted in pre-clinical studies</p> |
| <p><b>Note:</b><br/>"Phase 0" and "10-15 subjects" are keys to locate the answer. Ascertaining the prediction is equivalent to confirm assumptions. For that reason, the answer is <b>pre-clinical</b></p>  |  |

37 Answer: **Sequence**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| <p><b>Q37: Phase I</b><br/>2 different approaches may be used. One involving one-off exposure to the drug the other involving a _____</p> | <p>There are two main variations of Phase I testing, these being SAD (single ascending dose) and MAD (multiple ascending dose). The former involves a single administration of a drug at a pre-determined level to one group of subjects, and the second involves administration of a pre-determined <b>sequence</b> of dosages.</p> |

**Note:**

The former (“one” in question) talked about such things, so the answer must be as for “the second”. The answer can be “pre-determined sequence” but one word is required and a noun is needed so the answer is **sequence**

38 Answer: **Optimum**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| <b>Q38: Phase II</b><br>May involve two sub-stages to establish _____ <b>quantities</b> and <b>usefulness</b> . | In some trials, Phase II is regarded as involving two sub-stages, in that Phase 11(a) may be concerned with establishing <b>optimum dosage levels</b> and Phase 11(b) to evaluate <b>effectiveness</b> . |
| <b>Note:</b><br>An adjective is necessitated. Considering all the keywords, the answer is <b>optimum</b>        |  |

39 Answer: **Complex**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| <b>Q39: Phase III</b><br>The most _____, <b>protracted</b> and <b>costly</b> of all stages. Submissions made post-testing at this stage of all is agreeable. | Phase III is the most <b>expensive</b> , <b>time-consuming</b> and <b>complex</b> stage of the trial process, often involving as many as 3000 patients |
| <b>Note:</b><br>“Expensive” and “Time-consuming” have already mentioned so the answer is the remaining one, <b>complex</b>                                   |  |

40 Answer: **withdrawal**

| Keywords in Questions  | Similar words in Passage  |
|--|---|
| <b>Q40: Phase IV</b><br>Precautionary monitoring continues post-launch. Any <b>serious issues</b> <b>uncovered</b> can, on occasion, <b>result in</b> _____  | Identification of <b>harmful effects</b> at this stage, on occasion, <b>has led to</b> <b>withdrawal</b> of a drug from the marke |
| <b>Note:</b><br>Type of word that needs filling is a noun.<br>Due to the phrase “result in”, the following word has to be a word indicating consequence. After comparing keywords above, the answer is <b>withdrawal</b> . |   |

-----  
 Great thanks to volunteer Minh Võ has contributed these explanations.

If you want to make a better world like this, please contact us.

1 Answer: **E**

| Keywords in Questions | Similar words in Passage |
|-----------------------|--------------------------|
|-----------------------|--------------------------|

|   |  |
|---|--|
| 1. Details of <b>treatment alternatives</b> for <b>worst case scenario depression</b> .   | In <b>extreme cases</b> , where an individual exhibits behaviour which indicates that they may cause physical harm to themselves, <b>psychiatric hospitalisation</b> may be <b>necessary</b> as a form of intensive therapy. |
| <p>+ Question 1 is about treatment alternatives for worst cases related to depression.</p> <p>+ Look at the last sentence in paragraph E, <b>extreme cases</b> in this paragraph is equivalent to <b>worst case scenario depression</b> in the question. Also, in that situation, <b>psychiatric hospitalization</b> is considered a necessary alternative.</p> <p>+ Therefore, the correct answer for Q1 should be <b>E</b>.</p> |  |

2 Answer: **F**

| <b>Keywords in Questions</b>  | <b>Similar words in Passage</b>   |
|---|---|
| 2. Information regarding <b>cases</b> where <b>drug treatment</b> is <b>inappropriate</b> .   | around a quarter of diagnosed clinical depression cases should actually be considered as significant but none-the-less <b>ordinary sadness and maladjustment</b> to coping with trials in life, indicating that in <b>such cases, psychotherapy rather than treatment through medication</b> is required. |
| <p>+ Question 2 is about some cases when <b>drug treatment</b> is <b>not</b> required.</p> <p>+ Look at the first sentence in paragraph F, in some cases such as <b>ordinary sadness and maladjustment</b>, psychotherapy is preferred <b>instead of</b> using <b>treatment through medication</b>.</p> <p>+ So the answer for Q2 should be <b>F</b>.</p> |   |

3 Answer: **C**

| <b>Keywords in Questions</b>   | <b>Similar words in Passage</b>   |
|--|---|
| 3. Details of <b>how those</b> diagnosed with depression may be <b>more vulnerable</b> than <b>other members</b> of society,   | <b>Sufferers</b> of clinical depression are said to be at <b>higher risk</b> of resorting to <b>drug abuse</b> or even <b>suicide attempts</b> than <b>the rest of the population</b> . |
| <p>+ Question 3 is about the way people suffering from depression compared with others in society.</p> <p>+ Take a look at the last sentence of <b>paragraph C</b>, it is mentioned that sufferers tend to be <b>at higher risk of resorting to drug abuse or even suicide attempts</b> in comparison with the rest.</p> <p>+ Therefore, the answer for Q3 should be <b>C</b>.</p> |   |

4 Answer: **A**

| <b>Keywords in Questions</b> | <b>Similar words in Passage</b> |
|------------------------------|---------------------------------|
|------------------------------|---------------------------------|

|  |   |
|--|---|
| <p>4. Information about <b>society's attitudes</b> to <b>depression and similar illnesses</b>.</p> | <p>The pressures of modern life seem to have resulted in an increase in cases of emotional disharmony and government initiatives in many countries have, of late, focused on increasing the <b>general public's awareness</b> and sympathy towards sufferers of <b>mental illness and related conditions</b>.</p> |
|--|---|

+ Take a look at the third sentence of paragraph A: 'society's attitude' is equivalent to 'general public's awareness', and 'depression and similar illnesses' is also equal to 'mental illness and related conditions'.

+ The question is about the public's response towards some illnesses people have to suffer from. Also, paragraph A mentions the information.

+ Therefore, the answer for Q4 should be **A**.

5 Answer: **B**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| <p>5. Information regarding why <b>estimates</b> of incidence of future growth in cases may be <b>overly exaggerated</b>.</p> | <p>However, such <b>figures</b> are <b>not unanimously supported</b>, as some experts believe that the <b>diagnostic criteria</b> used to identify the condition are <b>not precise enough</b>, leading to other types of depression being wrongly classified as 'clinical'.</p> |

+ Question 5 is about the **reasons** why the number of 'future growth in cases' can be '**exaggerated**'.

+ Take a look at the last sentence in paragraph B, it is due to **imprecise 'diagnostic criteria'** leading to 'other types of depression being wrongly classified as 'clinical'.

+ Therefore, the answer for Q5 should be **B**.

6-8 Answer: **C,E,G**

| Keywords in Questions | Similar words in Passage |
|-----------------------|--------------------------|
|-----------------------|--------------------------|

|  |  |
|--|--|
| <p>Q6-Q7-Q8: Which THREE of the following statements are true of depression?</p> <p>Answers:</p> <p>C. In <b>Britain</b>, it is likely that there are <b>more individuals</b> who live with the condition <b>without the help of a doctor</b> than those being officially treated.</p> <p>E. <b>Lethargy</b> may be one of the <b>symptoms</b> of depression.</p> <p>G. <b>Approaches</b> to treating depression are <b>not universal</b>.</p> | <p>Studies have shown that this disorder is the leading cause of disability in North America; in the <b>UK</b> almost <b>3 million people</b> are said to be <b>diagnosed</b> with some form of depression at any one time, and experts believe that as many as a <b>further 9 million</b> other cases may go <b>undiagnosed</b>.</p> <p>Clinical depression is generally diagnosed when an individual is observed to exhibit an excessively depressed mood and/or 'anhedonia' – an <b>inability to experience pleasure from positive experiences</b> such as enjoying a meal or pleasurable social interaction – for a period of two weeks or more, in conjunction with five or more additional optimized symptoms.</p> <p><i>Treatment approaches vary quite dramatically</i> from place to place and are often tailored to an individual's particular situation; however, <b>some variation of a combination of medication and psychotherapy is most commonly used</b>.</p> |
|--|--|

Questions from 6 to 8 are about true statement towards depression.

- + Take a look at the second sentence of **paragraph B**, it is mentioned that the number of **British undiagnosed** with depression (**9 million**) outnumbers that of those **diagnosed** (almost **3 million**). So the correct answer for Q6 should be **C**.
- + Have a look at the first sentence of **paragraph D**, it can be clearly understood that **people** suffering from depression tend to show **inability to experience pleasure from positive experiences**'. This phrase has the same meaning with the word 'lethargy' in the question. So the answer for Q7 should be **E**.
- + Look at the second sentence in **paragraph E**, it is said that although there are many ways to treat depression '*treatment approaches vary quite dramatically*', it is **variation of a combination of medication and psychotherapy** is **most widely used**. This means that ways to treat depression are not popular. Therefore, the answer for Q8 should be **G**.

9 Answer: **I**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| <p>Q9: Whilst recovery through <b>counselling</b> rather than <b>medicine</b> may be more _____, [...]</p> | <p>Recovery as a result of <b>psychotherapy</b> tends, in most cases, to be a <b>slower process</b> than improvements related to <b>medication</b>; however, <b>improvements</b> as a result of psychological treatment, once achieved, have been observed in some individuals to be <b>more long term and sustainable</b> than those attained through prescription drugs.</p> |

+ Take a look at question 9, the answer for this question must be an **Adjective**. The question compares the progress of recovery between 'counselling' and 'medicine'. Understanding the idea in paragraph F, we can see that **psychotherapy** is equal to 'counselling' and **medication** has the same meaning with **medicine**. Also, it is said that recovery thanks to psychotherapy seems to be '**a slower process**' than the latter. Therefore, 'slower' appears the right word for Q9. Besides, the word **gradual** is equivalent to '**slow**', so the correct answer for Q9 should be **I**.

10 Answer: **B**

| Keywords in Questions   | Similar words in Passage   |
|---|--|
| Q10: Whilst recovery through <b>counselling</b> [...], <b>results</b> once achieved may have more _____ with some patients.   | Recovery as a result of <b>psychotherapy</b> tends, in most cases, to be <b>a slower process</b> than improvements related to <b>medication</b> ; however, <b>improvements</b> as a result of psychological treatment, once achieved, have been observed in some individuals to be <b>more long term and sustainable</b> than those attained through prescription drugs. |
| + Take a look at question 10, the answer for this question should be a <b>Noun</b> . It is about the results observed in several patients treated with counselling. It is mentioned in paragraph F that some individuals will see <b>more long term and sustainable</b> results. Therefore, the answer for Q10 should be <b>B</b> . |  |

11 Answer: **H**

| Keywords in Questions   | Similar words in Passage  |
|---|---|
| Q11: Counselling sessions are geared towards improving <b>the subject's relationship</b> with others and their own _____, [...]   | Sessions involve encouragement of an individual to <b>view themselves</b> and <b>their relationships</b> in a more positive manner, with the intention of helping patients to replace negative thoughts with <b>a more positive outlook</b> . |
| Look at Q11, the answer here must be a <b>Noun</b> . The question is about the benefit that people gain from counselling sections. Paragraph F demonstrates that sessions enhances not only <b>individual's relationship</b> but also <b>themselves</b> . Therefore, the answer for Q11 should be <b>H</b> . self-image |   |

12 Answer: **D**

| Keywords in Questions  | Similar words in Passage  |
|--|---|
| Q12: Counselling sessions are geared towards improving <b>the subject's relationship</b> with others and their own self-image encouraging sufferers of depression to take on a more _____ <b>outlook</b> . | Sessions involve encouragement of an individual to <b>view themselves</b> and <b>their relationships</b> in a more positive manner, with the intention of helping patients to replace negative thoughts with <b>a more positive outlook</b> . |

Look at Q12, the answer here must be an **Adjective**. Understanding the idea in the question, the answer here should be **D. optimistic** because it is equivalent to the word '**positive**' in the paragraph.

13 Answer: **G**

| Keywords in Questions  | Similar words in Passage   |
|--|--|
| <p><b>Q13:</b> The extent to which <b>genetic disposition</b> and <b>sociological factors</b> impact on state of mind is _____. Many people undergoing counselling therapy do so with the purpose of unlearning negative behaviour and reactions.</p>  | <p>However, it remains <b>unclear</b> as to whether this is truly an <b>inherited genetic trait</b> or whether <b>biological and environmental factors</b> common to family members may be at the root of the problem.</p> |
| <p>+ Take a look at Q13, the answer for this question must be an Adjective.<br/>           + The last paragraph mentions '<b>inherited genetic trait</b>' and '<b>biological and environmental factors</b>' which are equivalent to '<b>genetic disposition</b>' and '<b>sociological factors</b>' respectively.<br/>           + Understanding the idea in the question and paragraph, the information related to the two mentioned factors above is still '<b>unclear</b>'.<br/>           + So the answer for Q13 should be <b>G. inconclusive that is equal to 'unclear' in the passage.</b></p> |  |